

System Status of Thermoelectric Cooling Systems

# Add-on display kit to TEC controllers

The DPY-1113 is an add-on display kit for TEC Family Peltier controllers.

From the TEC Service Software it is possible to choose the information to be displayed, e.g. temperature, voltage, current and status.

This ready-to-use kit including a cable and connector is particularly suitable for stand-alone operation of single or dual channel controller setups.

The DPY-1113 status display kit is supported from firmware v1.60 and upwards, configuration information is provided in the TEC-Family user manual.

# ROHS


#### Back side



## **Features**

- 2 x 16 Char OLED Display
- · Yellow characters
- Cable length: approx. 50 cm
- · Supported devices:

TEC-Family Peltier Controllers (TEC-1089, TEC-1090, TEC-1091, TEC-1092 (only when used with EVL-1093), TEC-1122, TEC-1123, TEC-1161-xx, TEC-1162, TEC-1163, TEC-1166, TEC-1167)



Display connected to TEC controller

System Status of Thermoelectric Cooling Systems

### **Package Outline** $80.0 \pm 0.5$ 71.2 4.95 10.0Max 66.0(VA) 7.55 5.1 56.95(AA) 4.23 P2.54\*15=38.1 8.0 1.8 16-Ø1.0PTH △ 88888888888888 16.0(VA) | 10.3 ∞ $36.0\pm0.5$ 31.0 1.85(AA) 40.55 1.6 2.5 75.0 4- Ø2.5 PTH 4-Ø5.0 PAD Units in millimeter

Meerstetter Engineering GmbH Schulhausgasse 12 3113 Rubigen, Switzerland



Phone: +41 31 529 21 00 contact@meerstetter.ch www.meerstetter.ch

Meerstetter Engineering GmbH (ME) reserves the right to make changes without further notice to the product described herein. Information furnished by ME is believed to be accurate and reliable. However typical parameters can vary depending on the application and actual performance may vary over time. All operating parameters must be validated by the customer under actual application conditions.